

City of Golden Lead Data 2002-2017

Sample Date	Sample Location	Analyte	SignField	Result	Units
8/14/2002	16th Street	Lead		< 5	ug/L
8/15/2002	Partridge Circle	Lead		< 5	ug/L
8/15/2002	9th Street	Lead		< 5	ug/L
8/15/2002	3rd Street	Lead		< 5	ug/L
8/15/2002	Ford Street	Lead		< 5	ug/L
8/15/2002	Partridge Circle	Lead		< 5	ug/L
8/15/2002	22nd Street	Lead		< 5	ug/L
8/15/2002	Cheyenne Street	Lead		< 5	ug/L
8/15/2002	Arapahoe Street	Lead		< 5	ug/L
8/15/2002	DeFrance Way	Lead		< 5	ug/L
8/15/2002	East Street	Lead		< 5	ug/L
8/15/2002	Washington Avenue	Lead		< 5	ug/L
8/15/2002	9th Street	Lead		< 5	ug/L
8/15/2002	Meadow Run	Lead		< 5	ug/L
8/15/2002	Ford Street	Lead		< 5	ug/L
8/15/2002	Lookout View Drive	Lead		< 5	ug/L
8/15/2002	DeFrance Drive	Lead		< 5	ug/L
8/15/2002	Scenic Court	Lead		< 5	ug/L
8/16/2002	16th Street	Lead		< 5	ug/L
8/16/2002	Sunset Drive	Lead		< 5	ug/L
8/16/2002	Scenic Court	Lead		< 5	ug/L
8/17/2002	5th Street	Lead		< 5	ug/L
8/19/2002	Illinois	Lead		< 5	ug/L
8/19/2002	Arapahoe Street	Lead		< 5	ug/L
8/19/2002	12th Street	Lead		< 5	ug/L
8/19/2002	10th Street	Lead		< 5	ug/L
8/19/2002	Lookout View Drive	Lead		< 5	ug/L
8/29/2002	East Street	Lead		< 5	ug/L
9/5/2002	Table Heights Drive	Lead		< 5	ug/L
9/13/2002	Sunset Drive	Lead		< 5	ug/L
9/13/2002	6th Street	Lead		< 5	ug/L

Range= <0.005 mg/L

Lead analysis for 2002 performed
with graphite furnace atomic absorption
spectroscopy

Lead Action Level = 0.015 mg/L or 15 ug/L

Sample Date	Sample Location	Analyte	SignField	Result	Units
9/12/2005	6th Street	Lead	<	0.005	mg/L
9/13/2005	5th St	Lead	<	0.005	mg/L
9/13/2005	12th Street	Lead	<	0.005	mg/L
9/13/2005	Sunset Drive	Lead	<	0.005	mg/L
9/13/2005	East Street	Lead	<	0.005	mg/L
9/13/2005	Partridge Circle	Lead	<	0.005	mg/L
9/13/2005	3rd Street	Lead		0.102	mg/L
9/13/2005	Meadow Run	Lead	<	0.005	mg/L
9/13/2005	Ford Street	Lead		0.0064	mg/L
9/13/2005	Scenic Court	Lead	<	0.005	mg/L
9/13/2005	Ford Street	Lead	<	0.005	mg/L
9/13/2005	22nd Street	Lead	<	0.005	mg/L
9/13/2005	Cheyenne Street	Lead	<	0.005	mg/L
9/13/2005	Arapahoe Street	Lead	<	0.005	mg/L
9/13/2005	9th Street	Lead	<	0.005	mg/L
9/13/2005	10th Street	Lead	<	0.005	mg/L
9/13/2005	Table Heights Drive	Lead	<	0.005	mg/L
9/13/2005	Partridge Circle	Lead	<	0.005	mg/L
9/13/2005	Lookout View Drive	Lead	<	0.005	mg/L
9/13/2005	Lookout View Drive	Lead	<	0.005	mg/L
9/13/2005	Arapahoe Street	Lead	<	0.005	mg/L
9/13/2005	DeFrance Way	Lead	<	0.005	mg/L
9/14/2005	East Street	Lead	<	0.005	mg/L
9/14/2005	Washington Avenue	Lead	<	0.005	mg/L
9/14/2005	16th Street	Lead	<	0.005	mg/L
9/14/2005	Scenic Court	Lead	<	0.005	mg/L
9/14/2005	DeFrance Drive	Lead	<	0.005	mg/L
9/15/2005	Illinois	Lead	<	0.005	mg/L
9/15/2005	Sunset Drive	Lead	<	0.005	mg/L
9/15/2005	9th Street	Lead	<	0.005	mg/L
9/15/2005	Illinois Street	Lead	<	0.005	mg/L
9/16/2005	16th Street	Lead	<	0.005	mg/L
9/16/2005	5th Street	Lead	<	0.005	mg/L

Range = <0.005 - 0.102 mg/L

Lead analysis for 2005 performed
with graphite furnace atomic absorption
spectroscopy

Lead Action Level = 0.015 mg/L

Sample Date	Sample Location	Analyte	SignField	Result	Units
8/27/2008	6th Street	Lead		0.0047	mg/L
8/28/2008	Table Heights Drive	Lead	<	0.002	mg/L
8/28/2008	Scenic Court	Lead	<	0.002	mg/L
8/28/2008	DeFrance Way	Lead	<	0.002	mg/L
8/28/2008	Lookout View Drive	Lead	<	0.002	mg/L
8/28/2008	DeFrance Drive	Lead		0.0022	mg/L
8/28/2008	22nd Street	Lead	<	0.002	mg/L
8/28/2008	9th Street	Lead	<	0.002	mg/L
8/28/2008	Arapahoe Street	Lead	<	0.002	mg/L
8/28/2008	Sunset Drive	Lead	<	0.002	mg/L
8/28/2008	Cheyenne Street	Lead	<	0.002	mg/L
8/28/2008	Ford Street	Lead	<	0.002	mg/L
8/28/2008	Meadow Run	Lead	<	0.002	mg/L
8/28/2008	Partridge Circle	Lead	<	0.002	mg/L
8/28/2008	East Street	Lead	<	0.002	mg/L
8/28/2008	12th Street	Lead	<	0.002	mg/L
8/28/2008	Arapahoe Street	Lead	<	0.002	mg/L
8/28/2008	Washington Avenue	Lead	<	0.002	mg/L
8/29/2008	Partridge Circle	Lead	<	0.002	mg/L
8/29/2008	9th Street	Lead	<	0.002	mg/L
8/29/2008	Scenic Court	Lead	<	0.002	mg/L
8/29/2008	16th Street	Lead	<	0.002	mg/L
8/29/2008	Lookout View Drive	Lead	<	0.002	mg/L
8/31/2008	East Street	Lead	<	0.002	mg/L
9/1/2008	Illinois Street	Lead	<	0.002	mg/L
9/1/2008	5th Street	Lead	<	0.002	mg/L
9/4/2008	Ford Street	Lead	<	0.002	mg/L
9/4/2008	5th St	Lead	<	0.002	mg/L
9/5/2008	Sunset Drive	Lead	<	0.002	mg/L
9/5/2008	16th Street	Lead	<	0.002	mg/L
9/8/2008	10th Street	Lead	<	0.002	mg/L
9/22/2008	Illinois Street	Lead	<	0.002	mg/L

Range= <0.002-0.0047 mg/L

Lead analysis for 2008 performed with
ICP-MS

Lead Action Level = 0.015 mg/L

Sample Date	Sample Location	Analyte	SignField	Result	Units
6/7/2011	10th Street	Lead	<	0.001	mg/L
6/7/2011	9th Street	Lead	<	0.001	mg/L
6/7/2011	5th Street	Lead	<	0.001	mg/L
6/7/2011	Arapahoe Street	Lead	<	0.001	mg/L
6/7/2011	6th Street	Lead	<	0.001	mg/L
6/7/2011	5th St	Lead	<	0.001	mg/L
6/7/2011	3rd Street	Lead	<	0.001	mg/L
6/7/2011	Cheyenne Street	Lead		0.0012	mg/L
6/7/2011	Partridge Circle	Lead	<	0.001	mg/L
6/7/2011	Partridge Circle	Lead	<	0.001	mg/L
6/7/2011	Meadow Run	Lead	<	0.001	mg/L
6/7/2011	Washington Avenue	Lead	<	0.001	mg/L
6/7/2011	9th Street	Lead	<	0.001	mg/L
6/7/2011	16th Street	Lead	<	0.001	mg/L
6/7/2011	East Street	Lead	<	0.001	mg/L
6/7/2011	Lookout View Drive	Lead	<	0.001	mg/L
6/7/2011	Lookout View Drive	Lead	<	0.001	mg/L
6/7/2011	Scenic Court	Lead	<	0.001	mg/L
6/7/2011	22nd Street	Lead	<	0.001	mg/L
6/7/2011	Sunset Drive	Lead	<	0.001	mg/L
6/7/2011	Scenic Court	Lead	<	0.001	mg/L
6/7/2011	DeFrance Way	Lead	<	0.001	mg/L
6/7/2011	Table Heights Drive	Lead	<	0.001	mg/L
6/7/2011	12th Street	Lead	<	0.001	mg/L
6/8/2011	Ford Street	Lead	<	0.001	mg/L
6/8/2011	Illinois Street	Lead	<	0.001	mg/L
6/8/2011	Sunset Drive	Lead	<	0.001	mg/L
6/8/2011	East Street	Lead	<	0.001	mg/L
6/9/2011	Arapahoe Street	Lead	<	0.001	mg/L
6/26/2011	12th Street	Lead		0.0012	mg/L

Range= <0.001-0.0012 mg/L

Lead analysis for 2011 performed with
ICP-MS

Lead Action Level = 0.015 mg/L

Sample Date	Sample Location	Analyte	SignField	Result	Units
9/11/2014	9th Street	Lead	BDL		mg/L
9/11/2014	Table Heights Drive	Lead	BDL		mg/L
9/11/2014	22nd Street	Lead	BDL		mg/L
9/11/2014	Partridge Circle	Lead	BDL		mg/L
9/11/2014	Ford Street	Lead	BDL		mg/L
9/11/2014	Sunset Drive	Lead	BDL		mg/L
9/11/2014	Arapahoe Street	Lead	BDL		mg/L
9/11/2014	Cheyenne Street	Lead		0.0023	mg/L
9/11/2014	Scenic Court	Lead	BDL		mg/L
9/11/2014	Arapahoe Street	Lead	BDL		mg/L
9/11/2014	DeFrance Way	Lead	BDL		mg/L
9/11/2014	6th Street	Lead	BDL		mg/L
9/11/2014	12th Street	Lead		0.0013	mg/L
9/11/2014	Sunset Drive	Lead	BDL		mg/L
9/12/2014	16th Street	Lead	BDL		mg/L
9/12/2014	Washington Avenue	Lead	BDL		mg/L
9/12/2014	9th Street	Lead	BDL		mg/L
9/13/2014	Scenic Court	Lead	BDL		mg/L
9/14/2014	Cheyenne Street	Lead	BDL		mg/L
9/15/2014	Illinois Street	Lead	BDL		mg/L
9/15/2014	East Street	Lead	BDL		mg/L
9/15/2014	6th Street	Lead	BDL		mg/L
9/16/2014	Ford Street	Lead		< 0.001	mg/L
9/17/2014	Meadow Run	Lead	BDL		mg/L
9/20/2014	Illinois	Lead	BDL		mg/L
9/22/2014	Partridge Circle	Lead	BDL		mg/L
9/23/2014	East Street	Lead	BDL		mg/L
9/26/2014	North Ford Street	Lead	BDL		mg/L
9/27/2014	Partridge Circle	Lead	BDL		mg/L
9/27/2014	Partridge Circle	Lead	BDL		mg/L
9/30/2014	DeFrance Drive	Lead		0.0037	mg/L
9/30/2014	Quaker Street	Lead		0.0013	mg/L

Range= BDL* - 0.0037 mg/L

Lead analysis for 2014 performed with ICP-MS

*BDL= below detection limit

Lead Action Level = 0.015 mg/L

Sample Date	Sample Location	Analyte	SignField	Result	Units
6/2/2017	Arapahoe Street	Lead		< 0.001	mg/L
6/6/2017	Meadow Run	Lead		< 0.001	mg/L
6/6/2017	12th Street	Lead		< 0.001	mg/L
6/6/2017	Utah Street	Lead		< 0.001	mg/L
6/6/2017	Cascade Court	Lead		< 0.001	mg/L
6/6/2017	Ford Street	Lead		< 0.001	mg/L
6/6/2017	9th Street	Lead		< 0.001	mg/L
6/6/2017	9th Street	Lead		< 0.001	mg/L
6/6/2017	Garden Street	Lead		< 0.001	mg/L
6/7/2017	Partridge Circle	Lead		< 0.001	mg/L
6/7/2017	12th Street	Lead		< 0.001	mg/L
6/7/2017	East Street	Lead		< 0.001	mg/L
6/7/2017	Cheyenne Street	Lead		< 0.001	mg/L
6/8/2017	15th Street	Lead		0.004	mg/L
6/8/2017	Partridge Circle	Lead		< 0.001	mg/L
6/8/2017	Boyd Street	Lead		0.001	mg/L
6/8/2017	10th Street	Lead		< 0.001	mg/L
6/8/2017	Washington Street	Lead		< 0.001	mg/L
6/8/2017	15th Street	Lead		< 0.001	mg/L
6/12/2017	Entrada Drive	Lead		< 0.001	mg/L
6/13/2017	North Ford Street	Lead		0.0013	mg/L
6/13/2017	Entrada Drive	Lead		< 0.001	mg/L
6/16/2017	East Street	Lead		< 0.001	mg/L
6/19/2017	Partridge Circle	Lead		< 0.001	mg/L
6/28/2017	DeFrance Drive	Lead		0.001	mg/L
6/29/2017	18th Street	Lead		< 0.001	mg/L
7/5/2017	Cheyenne Street	Lead		< 0.001	mg/L
7/14/2017	Arapahoe Street	Lead		< 0.001	mg/L
7/17/2017	15th Street	Lead		0.009	mg/L
7/18/2017	East Street	Lead		< 0.001	mg/L
8/25/2017	Utah Street	Lead		< 0.001	mg/L
8/29/2017	Ridge Road	Lead		< 0.001	mg/L
9/5/2017	Entrada Drive	Lead		< 0.001	mg/L

Range= <0.001-0.009 mg/L

Lead analysis for 2017 performed with
ICP-MS

Lead Action Level = 0.015 mg/L